

Antibacterial efficacy of Bacoban WB 1,0%:

- *Actinomyces israelii*
- *Actinomyces* spp.
- *Acinetobacter baumannii*
- *Acinetobacter Iwoffii*
- *Acinetobacter* spp.
- *Aeromonas* spp.
- *Alcaligenes faecalis*
- *Alcaligenes* spp. / *Achromobacter* spp.
- *Alcaligenes xylosoxidans* (incl. ESBL/MRGN)
- *Bacteroides fragilis*
- *Bartonella quintana*
- *Bordetella pertussis*
- *Borrelia burgdorferi*
- *Borrelia duttoni*
- *Borrelia recurrentis*
- *Brevundimonas diminuta*
- *Brevundimonas vesicularis*
- *Brucella* spp.
- *Burkholderia cepacia* (incl. MDR)
- *Burkholderia mallei*
- *Burkholderia pseudomallei*
- *Campylobacter jejuni / coli*
- *Chlamydia pneumoniae*
- *Chlamydia psittaci*
- *Chlamydia trachomatis*
- *Citrobacter* spp.
- *Corynebacterium diphtheriae*
- *Corynebacterium pseudotuberculosis*
- *Corynebacterium* spp.
- *Corynebacterium ulcerans*
- *Coxiella burnetii*
- *Enterobacter aerogenes*
- *Enterobacter cloacae* (incl. ESBL/MRGN)
- *Enterococcus faecalis* (incl. VRE)
- *Enterococcus faecium* (incl. VRE)
- *Enterococcus hirae*
- *Escherichia coli* (incl. EHEC, EPEC, ETEC, EIEC, EAEC, ESBL/MRGN, DAEC)
- *Francisella tularensis*
- *Haemophilus influenzae*
- *Helicobacter pylori*
- *Klebsiella granulomatis*
- *Klebsiella oxytoca* (incl. ESBL/MRGN)
- *Klebsiella pneumoniae* (incl. MDR, ESBL/MRGN)
- *Leclercia adecarboxylata*
- *Legionella pneumophila*
- *Leptospira interrogans*
- *Leuconostoc pseudomesenteroides*
- *Listeria monocytogenes*
- *Micrococcus luteus*
- *Morganella* spp.
- *Mycoplasma genitalium*
- *Mycoplasma pneumoniae*
- *Neisseria meningitidis*
- *Neisseria gonorrhoeae*
- *Nocardia asteroides*
- *Orientia tsutsugamushi*
- *Pantoea agglomerans*
- *Paracoccus yeei*
- *Prevotella* spp.
- *Propionibacterium* spp.
- *Proteus mirabilis* (incl. ESBL/MRGN)
- *Proteus vulgaris*
- *Providencia rettgeri*
- *Providencia stuartii*
- *Pseudomonas aeruginosa*
- *Pseudomonas* spp.
- *Ralstonia* spp.
- *Rickettsia prowazekii*
- *Rickettsia typhi*
- *Roseomonas gilardii*
- *Salmonella enteritidis*
- *Salmonella paratyphi*
- *Salmonella* spp.
- *Salmonella typhi*
- *Salmonella typhimurium*
- *Serratia marcescens* (incl. ESBL/MRGN)
- *Shigella sonnei*
- *Sphingomonas* spp.
- *Staphylococcus aureus* (incl. MRSA, VRSA)
- *Staphylococcus capitis*
- *Staphylococcus epidermidis* (incl. MRSE)
- *Staphylococcus haemolyticus*
- *Staphylococcus hominis*
- *Staphylococcus lugdunensis*
- *Staphylococcus pasteurii* (incl. MRSA, VRSA)
- *Staphylococcus saprophyticus*
- *Stenotrophomonas maltophilia*
- *Streptococcus pneumoniae* (incl. PRSP)
- *Streptococcus pyogenes*
- *Streptococcus* spp.
- *Treponema pallidum*
- *Vibrio cholerae*
- *Yersinia enterocolitica*
- *Yersinia pestis*
- *Yersinia pseudotuberculosis*

Virus efficacy of Bacoban WB 1,0%:

- Adenovirus (Bacoban WB 2,0 %)
- Andes virus
- Arbovirus
- Batai virus
- Bunyamwera virus
- California encephalitis virus
- Central European encephalitis (CEE) virus
- Chapare virus
- Chikungunya virus
- Coronavirus (incl. SARS- and MERS-CoV)
- Crimean-Congo haemorrhagic fever virus (CCHVF)
- Cytomegalo virus (CMV)
- Dengue virus
- Dobrava-Belgrade virus
- Duvenhage virus
- Eastern equine encephalitis virus
- Ebola virus
- Epstein-Barr virus (EBV)
- Everglades virus
- Guanarito virus
- Hantavirus
- Hantaan virus
- Hendra virus
- Hepatitis B virus (HBV)
- Hepatitis C virus (HCV)
- Hepatitis D virus
- Herpes simplex virus (HSV)
- Human coronavirus 229E
- Human coronavirus OC43
- Human immunodeficiency virus (HIV)
- Human herpesvirus 6 (HHV-6)
- Human herpesvirus 7 (HHV-7)
- Human herpesvirus 8 (HHV-8)
- Human Metapneumovirus
- Human Papillomaviruses (HPV)
- Human T-lymphotropic virus
- Influenza virus A (e.g. H1N1, H3N2, H5N1) and B
- Japanese encephalitis virus
- Junin virus
- Kyasanur Forest disease virus
- Lassa virus
- Louping ill virus
- Lujo virus
- Lymphocytic choriomeningitis virus (LCMV)
- Machupo virus
- Marburg virus
- Mayaro virus
- Measles virus
- MERS Coronavirus
- Molluscipoxvirus / Molluscum contagiosum virus
- Mokola virus
- Mumps virus
- Nipah virus
- Norovirus
- O'nyong-nyong virus
- Oropouche virus
- Parainfluenza virus
- Powassan virus
- Puumala virus
- Rabies virus
- Rift Valley fever virus
- Respiratory syncytial virus
- Ross River virus
- Rotavirus
- Rubella virus
- Russian spring-summer encephalitis (RSSE) virus
- Sabia virus
- Sandfly fever virus (e.g. Toscana virus)
- SARS coronavirus
- Semliki Forest virus
- Seoul virus
- Sindbis virus
- Sin Nombre virus
- St. Louis encephalitis virus
- Tacaribe virus
- Tick-borne encephalitis virus (TBEV)
- Torovirus
- Usutu virus
- Vaccinia virus
- Variola virus
- Varicella-zoster virus
- Vesicular stomatitis virus
- West Nile virus
- Yellow fever virus
- Zika virus

Antifungal efficacy of Bacoban WB 1,0%:

- *Candida albicans*
- *Candida auris*
- *Candida famata*
- *Candida glabrata*
- *Candida guilliermondii*
- *Candida krusei*
- *Candida parapsilosis*
- *Candida stellatoidea*
- *Candida tropicalis*
- *Cryptococcus albidus*
- *Cryptococcus gattii*
- *Cryptococcus laurentii*
- *Cryptococcus neoformans*
- *Epidermophyton floccosum*
- *Microsporum audouinii*
- *Microsporum canis*
- *Microsporum cookei*
- *Microsporum distortum*
- *Microsporum ferrugineum*
- *Microsporum fulvum*
- *Microsporum gypseum*
- *Microsporum langeronii*
- *Microsporum nanum*
- *Microsporum persicolor*
- *Microsporum racemosum*
- *Microsporum rivalieri*
- *Microsporum vanbreuseghemii*
- *Trichophyton concentricum*
- *Trichophyton equinum*
- *Trichophyton erinacei*
- *Trichophyton gourvilii*
- *Trichophyton interdigitale*
(formerly *Trichophyton mentagrophytes*)
- *Trichophyton megninii*
- *Trichophyton quinckeanum*
- *Trichophyton rubrum*
- *Trichophyton schoenleinii*
- *Trichophyton simii*
- *Trichophyton soudanese*
- *Trichophyton tonsurans*
- *Trichophyton verrucosum*
- *Trichophyton violaceum*
- *Trichophyton vanbreuseghemii*
- *Trichophyton yaoundei*

